HISTORIC SITE FORM - HISTORIC SITES INVENTORY

PARK CITY MUNICIPAL CORPORATION (10-08) 1 IDENTIFICATION Name of Property: Bardsley Building Address: 309 MAIN ST AKA: City, County: Park City, Summit County, Utah Tax Number: PC-165 Current Owner Name: PONY BUILDING LLC Parent Parcel(s): Current Owner Address: PO BOX 681947, PARK CITY, UT 84068-1947 Legal Description (include acreage): LOT 3 BLK 11 PARK CITY SURVEY, 0.11 AC 2 STATUS/USE Property Category Evaluation* Reconstruction Use Original Use: Commercial ☑ building(s), main ☑ Landmark Site Date: ☐ Significant Site Current Use: Commercial □ building(s), attached Permit #: ☐ Not Historic ☐ Full ☐ Partial □ building(s), detached □ building(s), public □ building(s), accessory □ structure(s) *National Register of Historic Places: ☐ ineligible ☑ eligible ☑ listed (date: 03/07/1979 - Park City Main Street Historic District) 3 DOCUMENTATION Photos: Dates Research Sources (check all sources consulted, whether useful or not) ☑ tax photo: ☐ abstract of title ☑ city/county histories ☑ prints: ☑ tax card □ personal interviews ☐ historic: c. ☐ original building permit ☐ Utah Hist, Research Center ☐ sewer permit ☐ USHS Preservation Files □ USHS Architects File ☑ Sanborn Maps Drawings and Plans ☐ measured floor plans ☐ obituary index ☐ LDS Family History Library ☐ site sketch map ☐ city directories/gazetteers ☐ Park City Hist. Soc/Museum ☐ Historic American Bldg. Survey ☐ census records ☐ university library(ies): ☐ original plans: ☐ biographical encyclopedias □ other: □ other: □ newspapers Bibliographical References (books, articles, interviews, etc.) Attach copies of all research notes and materials. Blaes, Dina & Beatrice Lufkin. "Final Report." Park City Historic Building Inventory. Salt Lake City: 2007. Carter, Thomas and Goss, Peter. Utah's Historic Architecture, 1847-1940: a Guide. Salt Lake City, Utah: University of Utah Graduate School of Architecture and Utah State Historical Society, 1991. Longstreth, Richard. The Buildings of Main Street; A Guide to Commercial Architecture. Updated edition. Walnut Creek, CA: Alta Mira Press, a division of Rowman & Littlefield Publishers, Inc., 2000. Notarianni, Philip F., "Park City Main Street Historic District." National Register of Historic Places Inventory, Nomination Form. Roberts, Allen. "Final Report." Park City Reconnaissance Level Survey. Salt Lake City: 1995. **4 ARCHITECTURAL DESCRIPTION & INTEGRITY** No. Stories: 2 Building Type and/or Style: 2-Part Block Additions: ☐ none ☑ minor ☐ major (describe below) Alterations: ☑ none ☐ minor ☐ major (describe below) Number of associated outbuildings and/or structures: □ accessory building(s), # _____; □ structure(s), # _____. General Condition of Exterior Materials:

Researcher/Organization: Preservation Solutions/Park City Municipal Corporation Date: 12-2008

| ☑ Good (Well maintained with no serious problems apparent.) |
|---|
| ☐ Fair (Some problems are apparent. Describe the problems.): |
| ☐ Poor (Major problems are apparent and constitute an imminent threat. Describe the problems.): |
| ☐ Uninhabitable/Ruin |
| Materials (The physical elements that were combined or deposited during a particular period of time in a particular pattern or configuration. Describe the materials.): Foundation: Concrete. |
| Walls: Tapestry brick and concrete. |
| Roof: Flat roof. |
| Windows/Doors: Six-over-six double-hung sash type and large display windows adjacent to a recessed entry door. Multi-pane gazed door centered on upper façade with half-round iron balcony. |
| Essential Historical Form: ☑ Retains ☐ Does Not Retain, due to: |
| Location: ☑ Original Location ☐ Moved (date) Original Location: |
| Design (The combination of physical elements that create the form, plan, space, structure, and style. Describe additions and/or alterations from the original design, including datesknown or estimatedwhen alterations were made): The two-story brick 2-part block remains as it was described in the NR nomination and as seen in early photographs. The site retains its original design character. |
| Setting (The physical environmentnatural or manmadeof a historic site. Describe the setting and how it has changed over time.): The setting is typical of a mining era commercial core; buildings are located adjacent to one another and abut the sidewalk or street edge. |
| Workmanship (The physical evidence of the crafts of a particular culture or people during a given period in history. Describe the distinctive elements.): The physical evidence from the period that defines this as a typical Park City mining era commercial building are the simple methods of construction, the use brick and concrete, the recessed entrance and display windows, transom windows, the restrained ornamentation, and the plain finishes. |
| Feeling (Describe the property's historic character.): The physical elements of the site, in combination, convey a sense of the commercial activity in a western mining town of the late nineteenth and early twentieth centuries. |
| Association (Describe the link between the important historic era or person and the property.): The two-part block is one of the most common commercial building types constructed in Park City during the mining era. |
| This site was listed as a contributing building on the National Register of Historic Places in 1979 as part of the <i>Park City Main Street Historic District</i> . It was built within the historic period (1868-1929), is associated with the mining era, and retains its historic integrity. As a result, it meets the criteria set forth in LMC Chapter 15-11 for designation as a Landmark Site. |
| 5 SIGNIFICANCE |
| Architect: ☑ Not Known ☐ Known: (source:) Date of Construction: c. 1925 ¹ |
| Builder: ☑ Not Known ☐ Known: (source:) |
| The site must represent an important part of the history or architecture of the community. A site need only be significant under one of the three areas listed below: |
| 1. Historic Era: |
| |

¹ Notarianni, page 58.

| ☐ Settlement & Mining Boom Era (1868-1893) |
|---|
| ☑ Mature Mining Era (1894-1930) |
| ☐ Mining Decline & Emergence of Recreation Industry (1931-1962) |

Park City was the center of one of the top three metal mining districts in the state during Utah's mining boom period of the late nineteenth and early twentieth centuries, and it is one of only two major metal mining communities that have survived to the present. Park City's commercial buildings represent the best remaining metal mining town business district in the state. The buildings along Main Street, in particular, provide important documentation of the commercial character of mining towns of that period, including the range of building materials, building types, and architectural styles. They contribute to our understanding of a significant aspect of Park City's economic growth and architectural development as a mining business district².

- 2. Persons (Describe how the site is associated with the lives of persons who were of historic importance to the community or those who were significant in the history of the state, region, or nation):
- 3. Architecture (Describe how the site exemplifies noteworthy methods of construction, materials or craftsmanship used during the historic period or is the work of a master craftsman or notable architect):

6 PHOTOS

Digital color photographs are on file with the Planning Department, Park City Municipal Corp.

Photo No. 1: East elevation. Camera facing west, 2006.

Photo No. 2: East elevation. Camera facing west, 1995.

Photo No. 3: East elevation. Camera facing west, 1978 (online at NPS web site & on file with PCHS&M).


Photo No. 4: Southeast oblique. Camera facing northwest, tax photo.

Park City Historical Society & Museum has an extensive library of historic photographs; time constraints did not permit review of available historic photographs for this report.

² From "Park City Main Street Historic District" written by Philip Notarianni, 1979 and "Residences of Mining Boom Era, Park City - Thematic Nomination" written by Roger Roper, 1984.

RE-APPRAISAL CARD

| Owner's NameBa | rdsle | y, Wi | 111 | am J | PU | 165 |) |
|--|--|---|----------------|-----------|--|------|---|
| Owner's AddressLot 3 | Bile | 77 | Don | c Cit | vr 5117 | TAV | |
| Kind of Building | | | Change | No. 3 | 19 m | Tair | D |
| Kind of Building | 74 | D Flb | Stree | NO | diadilistini | | |
| ScheduleCla | SS 1 | Base Factor | | | | | |
| Stories Dim | ensions/ | Cu. Ft | . | Sq. Ft. | Act: | | Totals |
| 2 Tx0 | nskell | d from | 14 | | \$ | | 6764 |
| x | WIXE | 1540 | et | | \$ | | |
| x | x | | | | \$ | | |
| x | x | | | | \$ | | |
| No. of Rooms | | . Condition. | | Go | od | | |
| Descripti | on of Build | ling | | Add | Deduct | | |
| Foundation—Stone | | | | | | - | - |
| Ext. Walls Bolo | | | | | | | CONTRACTOR OF THE PARTY OF THE |
| Roof-Type E/ | M | lat Built | up . | | | - 1 | 1 |
| Dormers—Small | Med | Lg | | | | 15 | |
| Bays-Small | Med | Lg | | | | - 5 | 1 |
| Porches—Front | | @ | | | <u> </u> | - | |
| | | | | | | V | want |
| Basement fundament | Per Floo | r Conv | | | | - | THE REAL PROPERTY. |
| Attic-Rooms | Fin | Unfin | | | ļ | w | otains |
| Plumbing—{ Class Basin Urls | Z. I Sink Ftns | Trays Line Toilet | /1, | | | | apt. |
| Heat-Stove | . A Sto | eam. S. | Name of Street | | ļ | | Acresia |
| Finish— { Hd. Wo | l Floors | - { Hd. V | vd | | | | |
| Cabinets | Mante | ls | | | ļ | - | |
| Tile— { Walls | | | | | | | |
| Lighting—Lamp | | - | | | | | |
| | | | - | * | | | |
| *************************************** | | *************************************** | | | | | |
| | • | | | ••••• | | | |
| | | | - | | | - 4 | . / |
| Total Additions | and Deducti | one | | , | | 1 6 | 764 |
| Net Addition or Dec | | | | | | \$ | |
| Net Addition of Dec | | | | | | - | 1 42/11 |
| 1925 | Est. | | | N VALL | JE | \$ | 164 |
| AgeYrs. by | Owner Tenant Neighbors | Deprecia | tion | 24/ | 76 9 | 70 3 | -1111 |
| 10 | Records | Reprodu | ction | Val. Minu | ıs Dep | \$ | 2/9/ |
| Remodeled | Est. Cost | R | emode | ling Inc | 9 | % \$ | |
| Garage—S 8—C | | | | | | \$ | |
| Cars Walls | | | | | ······································ | \$ | |
| Roof Size | ex | Age | | | | | |
| Floor | Cost | Dep | preciat | ed Value | Garage | | = 1.7.1 |
| Remarks / + + | Lacan | Т Т | otal | | | \$ | 5141 |
| allowofed | | | bsolesc | ence2 | | % \$ | 1028 |
| 2000 Service Burner (1980 Service Serv | and a south of the second of t | | otal B | ilding Va | alue | \$ 4 | 1113 |
| 21 | | | July 1 | | | , | |
| ····· | | •••• | | | | | |
| Outsine) Beared | | | Ans | raised | | ma | 194/ |
| Original Record | | | | | | | true |



| OUT BUILDINGS | Age | Size | Area | Fac- tor | Cost | Depr. Value |
|---------------|-----|------|------|-------------|------|----------------|
| | | x | | | | |
| | | X | | | | |
| | | , | | | | |
| | | × | | | | |
| | | x | | | | |
| | | ۲ | | | | |
| | | x | | | | |
| | | x | | | | |
| | | X | | | | |
| | | x | | | | |
| | | x | | | | |
| | | x | | | | |
| | | x | | | | |
| | | x | | | | |
| | | x | | | | |
| | | x | | | | |
| | | x | | | | |

| Location WM. J. B | ARDSLEY | | | |
|----------------------------------|--|----------------|---------------|-------------|
| Kind of Bldg. Store | St. No. | 309 | Main | |
| Class 2 Rms. | Type 1(2)3 4. | Cost \$ | _ | x <u></u> % |
| Stories Dimensions | Cu. Ft. | Sq. Ft. | Factor | Totals |
| 2 x x | | 1550 | 0 | \$ 7041 |
| x x | MEN DE | | | |
| x x | THE STREET | | | |
| Att. Gar. x Flr. | Walls | 1 | Roof | |
| Description o | f Building | | Additions | |
| Foundation— Stone0 | Conc. J | None | | First |
| Ext. Walls Tap Bok 4 | out - Cour | Bre | | Story |
| Insulation— FloorsWall | lsClgs | | | Vacant |
| Roof Type Flat | _Mtl. B,C |)10 | | - 00 |
| Dormers- Small Med | | / | | Due Small |
| | Large | | | apt 2nd |
| Porches — Front | /« | ā | | story |
| Rear | | æ | | unoccupied |
| Basement Entr. | - | <u> </u> | | 2007 |
| Planters | 1 / 0 | <u>a</u> | | OBS, |
| Cettar Bsmt 1/4 1/3 1/2 2/3 3/4 | Full Floor | ONC | 450 | fld 1958 |
| Bsmt. Apt Rooms Fi | nUnfir | 1 | | |
| Attic Rooms Fin. | Unfin | | | 4. |
| | TubT | rays | 350 | |
| Basin Si | | oilet_Z | 200 | |
| Plumbing Urls | | | 50 | |
| Dishwasher Heat— Stove H.A Stove | The W Branch | nsp | | |
| Heat— Stove H.A. Sto | The second secon | Blr Radiant | 1585 | |
| Air Cond. | | 19.1 | | |
| Finish— Fir Hd. | wal | | | |
| Floor— Fir Hd. Wd | | er | | |
| Cabinets 1 Mantels | | | | |
| Tile— WallsWainsco | | | | |
| Electrical— Ourlets | Fixt. | | | |
| Storm Sash— WoodMeta | | Sash | | |
| Metal Awnings | F. Comment | | | |
| | NEW STEELS | Man Hon | | |
| 2 mg 5 tory 1 | Vo Vali | re | THE PROPERTY. | 100 |
| work as | 15tm; | | | ROGENSE! |
| Total Additions | 1000 | | 2455 | 2455 |
| Year Built 1925 Avg. | Reproduc | ction Value | | \$ 9496 |
| Age Age | | ol. 1 2 3 4 | 5 6 60% | |
| Inf. by Owner Tenant | AUT 1990. | al. Minus D | 0.0 | 5698 |
| (Neighbor - Record | | or Rem. | -20% | . 45 58 |
| Remodel Year Est. Cost | | lg. Value | | 13 / 3 |
| Garage— ClassDep | | | D | PART WAY |
| CarsFloor | | | | |
| Size— x Age | Cost | THE VOICE | x% | |
| Other | | Total Buildin | ng Value | \$ |
| Appraised 1-2-3 | | By | 221 | 1301 |

| Owners 1 | Name E W | ++. | B.R | Do | ele + | H | X Berry | _ | |
|-------------------|-----------------------------|-----------|----------|----------|-------------|-----|-----------|-----|-------------|
| Location | 100 | 2 13 | 0 | - | 2 . (| 2 4 | 1 mai | | ST |
| Kind of | Bldg. Dea | my | fari | St. 1 | No. 30 | //V | 6. mais | | 170 |
| | | | | | | | 9832 | _ | |
| Stories | Dimension | ns | Sq. | Ft. | Factor | _ | Totals | - | Totals |
| 2 | x | x | 15: | 50 | | 8 | 16714 | \$ | |
| | x | x | | | | | | | |
| | x | x | | | | _ | | - | |
| Att. Gar. | .—С. Р x | F | lr | Walls_ | Cl | _ | | L | N48154014.7 |
| | Desci | ription | of Build | ings | | | Additions | | Additions |
| Foundati | ion—Stone | | Conc. | ~ | Sills | | | Ш | |
| Ext. Wal | lls E | 3-10 | K | | 1 | | | | |
| Roof Typ | e _ 5h | ed | Mtl. | RA | | | 1 | | |
| Dormers | _Small | Me | d | Larg | re | | 1 | | |
| Bays-Si | mall | Med _ | | Large _ | | | / BAND | 9, | 9-74 |
| Porches- | Front | | | | _ @ | | 1 Barol | 00 | - / |
| Rear | | | | 1 | _@ | / | / 4 | - 1 | 1 |
| Porch _ | | | | - | _@ | | | / | |
| Planters | | | | . \ | _ @ | | | | |
| Ext. Bas | e. Entry | | | 1 | _ @ / | | | | |
| Cellar-B | smt. — 1/4 1/3 | 1/2 1/3 | ¾ Full | I | Floor | - | | | |
| | ar | | | \ | / | | | | |
| Basemen | t-Apt. | Rms. | | Fin. Ri | ms | | | | |
| | oms Fin | | | | | | | | |
| | / Class | 2 | Tub | /_ | Trays | | | | |
| DI | Basin _ | | Sink | /_ T | oilet | | | | |
| Plumbin | Wtr. Sit | | | | _ o.n | | 459 | | |
| | Dishwash | | | | | _ | , | | |
| The second second | oveH.A | | | | | - | | | |
| | Gas C | | | | | | in | 1 | |
| | ı. — Full _ | | 2 | | | - | | | |
| | Fir. H | | | | | 1 | | | |
| | | | | | | + | | | |
| | | | | | | | | | |
| | alls | | | | | | | | |
| | Sash—Wood I | | | | | | | | |
| Awning | s — Metal _ | | Fi | berglas | | | | | |
| | | | | | | | | - | |
| | | | | | | | | | |
| 20 20 | 2001 | | | | | | 150 | | |
| Total Ad | | | | | | | 459 | + | |
| | ilt. 1925 | Avg. | 1. | Replace | ement Cost | | 17173 | - | |
| 1967 | 1. | Age | 2. | Obsoles | scence | 35 | 6011 | - | |
| Inf. by | Sowner - Telling Neighbor - | nant | 77-4 | Adj. B | ld. Value | | 11162 | - | |
| III. Dy | (Neighbor - | Record | - Est. | Conv. I | Factor | | x.47 | - | |
| | | Replac | ement (| Cost—19 | 40 Base | | | - | |
| | <u>C</u> | Depre | iation C | Column | 1 2 🛭 4 5 | 6 | | - | |
| | | 1940 B | ase Cost | , Less D | epreciation | n | | - | |
| Total Va | alue from reve | erse side | е | | | | | 1 | |
| | | | | | ilding Val | | \$ | | |
| | ed ① // | -1 | 8 - | 10/2 | 8 p. 1 | 3 : | 33 | *1 | |
| Apprais | ed () | | | 19 4 | By A | | | | |



PG 165



